

## Certificate of Analysis

<b>Glade Base Arsl Berry 300 ml</b>		Batch no.:202411280047 Production date: MAN070125 Expiration date: 2 Years
Sku/Product:338518/240146 Intermediate: 240145/780037		Delivery No.: PO:
<b>Characteristics</b>	<b>Specification</b>	<b>Results</b>
<b>Inhibited water intermediate 780037</b>		
Appearance, color, odour	TMS (Odourless, water-clear)	OK
pH	8.2 – 8.6	OK
Conductivity @20°C	7.0 -8.0- µS/cm	OK
<b>Perfume Intermediate 240145</b>		
Appearance, color	TMS	OK
Odour	TMS of perfume 1062555	OK
FTIR spectrum	TMS	OK
Total Halide	2.27 – 2.39 %	2.30
<b>Propellant intermediate 346023</b>		
Odour	Odourless	OK
Pressure @ 21.1°C	3.2 - 3.6 kg/cm <sup>2</sup>	OK



Ing. Jeroen J. Beugelink  
Quality Department  
SC Johnson Europlant B.V.  
Mijdrecht -The Netherlands

January 20, 2025

## Certificate of Analysis

<b>Glade Base Clean Linen 300ml</b>		Batch no.:202411280034 Production date: MAN161224 Expiration date: 2 Years
Sku/Product:353257/237901 Intermediate: 237875/780037		Delivery No.: PO:
<b>Characteristics</b>	<b>Specification</b>	<b>Results</b>
<b>Inhibited water intermediate 780037</b>		
Appearance, color, odour	TMS (Odourless, water-clear)	OK
pH	8.2 – 8.6	OK
Conductivity @20°C	7.0 -8.0- µS/cm	OK
<b>Perfume Intermediate 237875</b>		
Appearance, color	TMS	OK
Odour	TMS of perfume 1062555	OK
FTIR spectrum	TMS	OK
Total Halide	2.27 – 2.39 %	2.35
<b>Propellant intermediate 346023</b>		
Odour	Odourless	OK
Pressure @ 21.1°C	3.2 - 3.6 kg/cm <sup>2</sup>	OK



Ing. Jeroen J. Beugelink  
Quality Department  
SC Johnson Europlant B.V.  
Mijdrecht -The Netherlands

January 20, 2025

## Certificate of Analysis

<b>Glade Mnspry Cocon PeonBerr Rfl</b>		Batch no.: 202312150021
Sku/Product: 353554/227561		Production date: 18122023
Intermediate: 227556		Expiration date: N/A
		Delivery No.:
		PO:
<b>Characteristics</b>	<b>Specification</b>	<b>Results</b>
<b>Perfume intermediate code 227556</b>		
Appearance, color	Clear pale yellow liquid	OK
Odour	TMS of perfume code 1021685	OK
Gaschromatographic scan	TM Standard chromatogram	OK
Refraction index @ 20°C	1.3815 ± 0.005	OK
Density @ 20°C	0.836 ± 0.005 gram per ml	OK
<b>Propellant intermediate 346102</b>		
Odour	Odourless	OK
Pressure @ 21.1°C	4.0 – 4.4 kg/cm2	OK



Ing. Jeroen J. Beugelink  
Quality Department  
SC Johnson Europlant B.V.  
Mijdrecht -The Netherlands

January 20, 2025

## Certificate of Analysis

<b>Gld Mnrspr Lzrn Vln Mgnl Rf 10ml</b>		Batch no.:20241250001
Sku/Product:353569/237717		Production date: MAN051224
Intermediate: 237712		Expiration date: N/A
		Delivery No.:
		PO:
Characteristics	Specification	Results
<b>Perfume intermediate code 237712</b>		
Appearance, color	Clear pale yellow liquid	OK
Odour	TMS of perfume code 1181078	OK
Gaschromatographic scan	TM Standard chromatogram	OK
Refraction index @ 20°C	1.3840 ± 0.005	OK
Density @ 20°C	0.835 ± 0.005 gram per ml	OK
<b>Propellant intermediate 346102</b>		
Odour	Odourless	OK
Pressure @ 21.1°C	4.0 – 4.4 kg/cm2	OK



Ing. Jeroen J. Beugelink  
 Quality Department  
 SC Johnson Europlant B.V.  
 Mijdrecht - The Netherlands

January 20, 2025

## Certificate of Analysis

<b>Gld Mnspr Japanese Garden Rf</b>		Batch no.:202412050003
Sku/Product:353591/239862		Production date: MAN051224
Intermediate: 239854		Expiration date: N/A
		Delivery No.:
		PO:
<b>Characteristics</b>	<b>Specification</b>	<b>Results</b>
<b>Perfume intermediate code 239854</b>		
Appearance, color	Clear pale yellow liquid	OK
Odour	TMS of perfume code 1134932	OK
Gaschromatographic scan	TM Standard chromatogram	OK
Refraction index @ 20°C	1.3840 ± 0.005	OK
Density @ 20°C	0.834 ± 0.005 gram per ml	OK
<b>Propellant intermediate 346102</b>		
Odour	Odourless	OK
Pressure @ 21.1°C	4.0 – 4.4 kg/cm2	OK



Ing. Jeroen J. Beugelink  
 Quality Department  
 SC Johnson Europlant B.V.  
 Mijdrecht - The Netherlands

January 20, 2025

## Certificate of Analysis

<b>Glade Arsl OcnAdv 300ML</b>		Batch no.:202410010021
Sku/Product: 369265/237903		Production date: MAN121124
Intermediate: 237877/780037		Expiration date: 2 Years
		Del. No:
		PO.:
Characteristics	Specification	Results
<b>Inhibited water intermediate 780037</b>		
Appearance, color, odour	TMS (Odourless,water-clear)	OK
pH	8.2 – 8.6	OK
Conductivity @20°C	7.0 -8.0- µS/cm	OK
<b>Perfume Intermediate 237877</b>		
Appearance, color	TMS	OK
Odour	TMS of perfume 1181078	OK
FTIR Spectrum	TMS	OK
Total Halide	2.10 – 2.62 %	2.44
<b>Propellant intermediate 346023</b>		
Odour	Odourless	OK
Pressure @ 21.1°C	3.2 - 3.6 kg/cm <sup>2</sup>	OK



Ing. Jeroen J. Beugelink  
Quality Department  
SC Johnson Europlant B.V.  
Mijdrecht - The Netherlands

January 20, 2025

## Certificate of Analysis

<b>Glade Base Arsl Rlxng Zen 300ML</b>		Batch no.:20241050029
Sku/Product: 369976/243534		Production date: MAN181224
Intermediate: 243532/780037		Expiration date: 2 Years
		Del. No:
		PO.:
Characteristics	Specification	Results
<b>Inhibited water intermediate 780037</b>		
Appearance, color, odour	TMS (Odourless,water-clear)	OK
pH	8.2 – 8.6	OK
Conductivity @20°C	7.0 -8.0- µS/cm	OK
<b>Perfume Intermediate 243532</b>		
Appearance, color	TMS	OK
Odour	TMS of perfume 1134932	OK
FTIR Spectrum	TMS	OK
Total Halide	2.10 – 2.62 %	2.24
<b>Propellant intermediate 346023</b>		
Odour	Odourless	OK
Pressure @ 21.1°C	3.2 - 3.6 kg/cm <sup>2</sup>	OK



Ing. Jeroen J. Beugelink  
 Quality Department  
 SC Johnson Europlant B.V.  
 Mijdrecht - The Netherlands

January 20, 2025

## Certificate of Analysis

<b>Gld EP Arsl IndonSandal rpck 300ml</b>  Sku/Product:370252/243505 Intermediate: 243503/780037		Batch no.:202411200026 Production date: MAN070125 Expiration date: 2 Years  Delivery No.: PO:
Characteristics	Specification	Results
<b>Inhibited water intermediate 780037</b>		
Appearance, color, odour	TMS (Odourless, water-clear)	OK
pH	8.2 – 8.6	OK
Conductivity @20°C	7.0 -8.0- µS/cm	OK
<b>Perfume Intermediate 243505</b>		
Appearance, color	TMS	OK
Odour	TMS of perfume 1149778	OK
FTIR spectrum	TMS	OK
Total Halide	2.27 – 2.39 %	2.10
<b>Propellant intermediate 346023</b>		
Odour	Odourless	OK
Pressure @ 21.1°C	3.2 - 3.6 g/cm <sup>2</sup>	OK



Ing. Jeroen J. Beugelink  
Quality Department  
SC Johnson Europlant B.V.  
Mijdrecht - The Netherlands

January 20, 2025



## Certificate of Analysis

<b>Glade Base Arsl Muguet 300ML</b>		Batch no.:202412050017
Sku/Product: 370265/243518		Production date: MAN171224
Intermediate: 243516/780037		Expiration date: 2 Years
		Del. No:
		PO.:
Characteristics	Specification	Results
<b>Inhibited water intermediate 780037</b>		
Appearance, color, odour	TMS (Odourless,water-clear)	OK
pH	8.2 – 8.6	OK
Conductivity @20°C	7.0 -8.0- µS/cm	OK
<b>Perfume Intermediate 243516</b>		
Appearance, color	TMS	OK
Odour	TMS of perfume 1149869	OK
FTIR Spectrum	TMS	OK
Total Halide	2.10 – 2.62 %	2.29
<b>Propellant intermediate 346023</b>		
Odour	Odourless	OK
Pressure @ 21.1°C	3.2 - 3.6 kg/cm <sup>2</sup>	OK



Ing. Jeroen J. Beugelink  
Quality Department  
SC Johnson Europlant B.V.  
Mijdrecht - The Netherlands

January 20, 2025

## Certificate of Analysis

<b>Glade Base Arsl Peony Cherry 300ml</b>		Batch no.:202411010034 Production date: MAN151124 Expiration date: 2 Years
Sku/Product: 370271/243530 Intermediate: 243528/780037		Delivery No.: PO:
<b>Characteristics</b>	<b>Specification</b>	<b>Results</b>
<b>Inhibited water intermediate 780037</b>		
Appearance, color, odour	TMS (Odourless, water-clear)	OK
pH	8.2 – 8.6	OK
Conductivity @20°C	7.0 -8.0- µS/cm	OK
<b>Perfume Intermediate 243528</b>		
Appearance, color	TMS	OK
Odour	TMS of perfume 1134805	OK
FTIR spectrum	TMS	OK
Total Halide	2.10 – 2.62 %	2.37
<b>Propellant intermediate 346023</b>		
Odour	Odourless	OK
Pressure @ 21.1°C	3.2 - 3.6 kg/cm <sup>2</sup>	OK



Ing. Jeroen J. Beugelink  
 Quality Department  
 SC Johnson Europlant B.V.  
 Mijdrecht - The Netherlands

January 20, 2025

## Certificate of Analysis

<b>Glade Base Arsl Peony Cherry 300ml</b>		Batch no.:202408010023
Sku/Product:370369/243530		Production date: MAN021024
Intermediate: 243528/780037		Expiration date: 2 Years
		Delivery No.:
		PO:
<b>Characteristics</b>	<b>Specification</b>	<b>Results</b>
<b>Inhibited water intermediate 780037</b>		
Appearance, color, odour	TMS (Odourless, water-clear)	OK
pH	8.2 – 8.6	OK
Conductivity @20°C	7.0 -8.0- µS/cm	OK
<b>Perfume Intermediate 243528</b>		
Appearance, color	TMS	OK
Odour	TMS of perfume 1134805	OK
FTIR spectrum	TMS	OK
Total Halide	2.10 – 2.62 %	2.40
<b>Propellant intermediate 346023</b>		
Odour	Odourless	OK
Pressure @ 21.1°C	3.2 - 3.6 kg/cm <sup>2</sup>	OK



Ing. Jeroen J. Beugelink  
 Quality Department  
 SC Johnson Europlant B.V.  
 Mijdrecht - The Netherlands

January 20, 2025

## Certificate of Analysis

<b>Glade Arsl OcnAdv 300ML</b>		Batch no.:202411080025
Sku/Product: 372226/237903		Production date: MAN221124
Intermediate: 237877/780037		Expiration date: 2 Years
		Del. No:
		PO.:
<b>Characteristics</b>	<b>Specification</b>	<b>Results</b>
<b>Inhibited water intermediate 780037</b>		
Appearance, color, odour	TMS (Odourless,water-clear)	OK
pH	8.2 – 8.6	OK
Conductivity @20°C	7.0 -8.0- µS/cm	OK
<b>Perfume Intermediate 237877</b>		
Appearance, color	TMS	OK
Odour	TMS of perfume 1181078	OK
FTIR Spectrum	TMS	OK
Total Halide	2.10 – 2.62 %	2.34
<b>Propellant intermediate 346023</b>		
Odour	Odourless	OK
Pressure @ 21.1°C	3.2 - 3.6 kg/cm <sup>2</sup>	OK



Ing. Jeroen J. Beugelink  
Quality Department  
SC Johnson Europlant B.V.  
Mijdrecht - The Netherlands

January 20, 2025

## Certificate of Analysis

<b>Gld EP Arsl IndonSandal rpck 300ml</b>		Batch no.:202406140018 Production date: MAN16072024 Expiration date: 2 Years
Sku/Product:372817/370252 Intermediate: 243503/780037		Delivery No.: PO:
<b>Characteristics</b>	<b>Specification</b>	<b>Results</b>
<b>Inhibited water intermediate 780037</b>		
Appearance, color, odour	TMS (Odourless, water-clear)	OK
pH	8.2 – 8.6	OK
Conductivity @20°C	7.0 -8.0- µS/cm	OK
<b>Perfume Intermediate 243505</b>		
Appearance, color	TMS	OK
Odour	TMS of perfume 1149778	OK
FTIR spectrum	TMS	OK
Total Halide	2.10 – 2.62 %	2.40
<b>Propellant intermediate 346023</b>		
Odour	Odourless	OK
Pressure @ 21.1°C	3.2 - 3.6 g/cm <sup>2</sup>	OK



Ing. Jeroen J. Beugelink  
Quality Department  
SC Johnson Europlant B.V.  
Mijdrecht - The Netherlands

January 20, 2025

## Certificate of Analysis

<b>Glade Base Arsl Muguet 300ML</b>		Batch no.:202402220031
Sku/Product: 372935/243518		Production date: MAN280524
Intermediate: 243516/780037		Expiration date: 2 Years
		Del. No:
		PO.:
<b>Characteristics</b>	<b>Specification</b>	<b>Results</b>
<b>Inhibited water intermediate 780037</b>		
Appearance, color, odour	TMS (Odourless,water-clear)	OK
pH	8.2 – 8.6	OK
Conductivity @20°C	7.0 -8.0- µS/cm	OK
<b>Perfume Intermediate 243516</b>		
Appearance, color	TMS	OK
Odour	TMS of perfume 1149869	OK
FTIR Spectrum	TMS	OK
Total Halide	2.10 – 2.62 %	2.38
<b>Propellant intermediate 346023</b>		
Odour	Odourless	OK
Pressure @ 21.1°C	3.2 - 3.6 kg/cm <sup>2</sup>	OK



Ing. Jeroen J. Beugelink  
 Quality Department  
 SC Johnson Europlant B.V.  
 Mijdrecht - The Netherlands

January 20, 2025

## Certificate of Analysis

<b>Glade Base Arsl Rlxng Zen 300ML</b>		Batch no.:202404240037
Sku/Product: 372937/243534		Production date: MAN13052024
Intermediate: 243532/780037		Expiration date: 2 Years
		Del. No:
		PO.:
<b>Characteristics</b>	<b>Specification</b>	<b>Results</b>
<b>Inhibited water intermediate 780037</b>		
Appearance, color, odour	TMS (Odourless,water-clear)	OK
pH	8.2 – 8.6	OK
Conductivity @20°C	7.0 -8.0- µS/cm	OK
<b>Perfume Intermediate 243532</b>		
Appearance, color	TMS	OK
Odour	TMS of perfume 1134932	OK
FTIR Spectrum	TMS	OK
Total Halide	2.10 – 2.62 %	2.36
<b>Propellant intermediate 346023</b>		
Odour	Odourless	OK
Pressure @ 21.1°C	3.2 - 3.6 kg/cm <sup>2</sup>	OK



Ing. Jeroen J. Beugelink  
Quality Department  
SC Johnson Europlant B.V.  
Mijdrecht - The Netherlands

January 20, 2025